



SS 316 Vertical Mount Liquid Level Sensor with 1meter Teflon Wire | 2 Ampere Switch - 120mm Stem

- **MATERIAL:** Constructed from SS 316 food-grade stainless steel, making it suitable for use with water, milk, coffee, tea, and industrial chemicals
- **DIMENSIONS:** Total length of 120mm with a ball length of 25mm and ball outer diameter of 25mm, ideal for precise liquid level detection
- **WIRING:** Comes with a 1 metre Teflon 2-core wire, ensuring reliable and durable electrical connections in demanding environments
- **MOUNTING TYPE:** Vertical top-mount design with threaded stem, nut, and washer for secure and easy installation on tanks and machines
- **WIDE APPLICATION:** Suitable for water tanks, milk processing, coffee and tea machines, and industrial chemical liquid level control systems
- **Switch :** 2AMP Switch
- **SPECIFICATIONS:** MAX VOLTAGE -240V MAX CURRENT 24 Amp MAX TEMP - 125 °C MATERIAL - SS 316 (Food Grade) PROSESS CONNECTION - 1 / 4 BSP (m) TYPE OF SWITCH - SPST WIRE - 1 METER TEFLON INSULATED 2 CORE TOTAL LENGTH END TO END - 120mm FLOAT SIZE - 25 L (mm) 25 (mm) OD TOTAL WEIGHT - 90 GM (+/- 5)

[Read More](#)

SKU:

Price: ?750.00 – ?810.00

Categories: [Sensor](#)

Product Description



SS 316 Vertical Mount Liquid Level Sensor with Tflon Wire | 2 Ampere Switch - 45mm Stem

- **MATERIAL:** Constructed from SS 316 food-grade stainless steel, making it suitable for use with water, milk, coffee, tea, and industrial chemicals
- **DIMENSIONS:** Total length of 45mm with a ball length of 25mm and ball outer diameter of 25mm, ideal for precise liquid level detection
- **WIRING:** Comes with a 1 metre Teflon 2-core wire, ensuring reliable and durable electrical connections in demanding environments
- **MOUNTING TYPE:** Vertical top-mount design with threaded stem, nut, and washer for secure and easy installation on tanks and machines
- **WIDE APPLICATION:** Suitable for water tanks, milk processing, coffee and tea machines, and industrial chemical liquid level control systems
- **Switch :** 2AMP Switch
- **SPECIFICATIONS:** MAX VOLTAGE -240V MAX CURRENT 24 Amp MAX TEMP - 125 °C MATERIAL - SS 316 (Food Grade) PROSESS CONNECTION - 1 / 4 BSP (m) TYPE OF SWITCH - SPST WIRE - 1 METER TEFLON INSULATED 2 CORE TOTAL LENGTH END TO END - 45mm FLOAT SIZE - 25 L (mm) 25 (mm) OD TOTAL WEIGHT - 80 GM (+/- 5)

[Read More](#)

SKU:

Price: ?490.00 – ?560.00

Categories: [Sensor](#)

Product Description



SS 316 Vertical Mount Liquid Level Sensor with Teflon Wire| 2 Ampere Switch - 150mm Stem

- **MATERIAL:** Constructed from SS 316 food-grade stainless steel, making it suitable for use with water, milk, coffee, tea, and industrial chemicals
- **DIMENSIONS:** Total length of 150mm with a ball length of 25mm and ball outer diameter of 25mm, ideal for precise liquid level detection
- **WIRING:** Comes with a 1 metre Teflon 2-core wire, ensuring reliable and durable electrical connections in demanding environments
- **MOUNTING TYPE:** Vertical top-mount design with threaded stem, nut, and washer for secure and easy installation on tanks and machines
- **WIDE APPLICATION:** Suitable for water tanks, milk processing, coffee and tea machines, and industrial chemical liquid level control systems
- **Switch :** 2AMP Switch
- **SPECIFICATIONS:** MAX VOLTAGE -240V MAX CURRENT 24 Amp MAX TEMP - 125 °C MATERIAL - SS 316 (Food Grade) PROSESS CONNECTION - 1 / 4 BSP (m) TYPE OF SWITCH - SPST WIRE - 1 METER TEFLON INSULATED 2 CORE TOTAL LENGTH END TO END - 150 mm FLOAT SIZE - 25 L (mm) 25 (mm) OD TOTAL WEIGHT - 80 GM (+/- 5)

[Read More](#)

SKU:

Price: ?690.00 – ?740.00

Categories: [Sensor](#)

Product Description



SS 316 Vertical Mount Liquid Level Sensor with Teflon Wire | 2 Ampere Switch - 100mm Stem

- **MATERIAL:** Constructed from SS 316 food-grade stainless steel, making it suitable for use with water, milk, coffee, tea, and industrial chemicals
- **DIMENSIONS:** Total length of 100mm with a ball length of 25mm and ball outer diameter of 25mm, ideal for precise liquid level detection
- **WIRING:** Comes with a 1 metre Teflon 2-core wire, ensuring reliable and durable electrical connections in demanding environments
- **MOUNTING TYPE:** Vertical top-mount design with threaded stem, nut, and washer for secure and easy installation on tanks and machines
- **WIDE APPLICATION:** Suitable for water tanks, milk processing, coffee and tea machines, and industrial chemical liquid level control systems
- **Switch :** 2AMP Switch
- **SPECIFICATIONS:** MAX VOLTAGE -240V MAX CURRENT 24 Amp MAX TEMP - 125 °C MATERIAL - SS 316 (Food Grade) PROSESS CONNECTION - 1 / 4 BSP (m) TYPE OF SWITCH - SPST WIRE - 1 METER TEFLON INSULATED 2 CORE TOTAL LENGTH END TO END - 100 mm FLOAT SIZE - 25 L (mm) 25 (mm) OD TOTAL WEIGHT - 80 GM (+/- 5)

[Read More](#)

SKU:

Price: ?585.00 – ?630.00

Categories: [Sensor](#)

Product Description



SS 316 Vertical Mount Liquid Level Sensor With Teflon Wire | 2 Ampere Switch - 75mm Stem

- **MATERIAL:** Constructed from SS 316 food-grade stainless steel, making it suitable for use with water, milk, coffee, tea, and industrial chemicals
- **DIMENSIONS:** Total length of 75mm with a ball length of 25mm and ball outer diameter of 25mm, ideal for precise liquid level detection
- **WIRING:** Comes with a 1 metre Teflon 2-core wire, ensuring reliable and durable electrical connections in demanding environments
- **MOUNTING TYPE:** Vertical top-mount design with threaded stem, nut, and washer for secure and easy installation on tanks and machines
- **WIDE APPLICATION:** Suitable for water tanks, milk processing, coffee and tea machines, and industrial chemical liquid level control systems
- **Switch :** 2AMP Switch
- **SPECIFICATIONS:** MAX VOLTAGE -240V MAX CURRENT 24 Amp MAX TEMP - 125 °C MATERIAL - SS 316 (Food Grade) PROSESS CONNECTION - 1 / 4 BSP (m) TYPE OF SWITCH - SPST WIRE - 1 METER TEFLON INSULATED 2 CORE TOTAL LENGTH END TO END - 75 mm FLOAT SIZE - 25 L (mm) 25 (mm) OD TOTAL WEIGHT - 80 GM (+/- 5)

[Read More](#)

SKU:

Price: ?530.00 – ?580.00

Categories: [Sensor](#)

Product Description



Polo Star SS Liquid Level Sensor Switch (SMALL CAPSULE) Made From SS 316 (Food Grade) | Water Tank Milk Coffee Tea Machine Industrial Chemicals - Side Mount 1 Mtr Teflon Wire | 2 Ampere Switch



- **PREMIUM MATERIAL:** Crafted from SS 316 food-grade stainless steel, ensuring durability and suitability for use with liquids like water, milk, coffee, and tea.
- **SIDE MOUNT DESIGN:** The small capsule float switch features a side mount configuration, making it ideal for precise liquid level detection in tanks and machines.
- **WIDE APPLICATION:** Suitable for water tanks, milk machines, coffee and tea machines, as well as industrial chemical containers, offering versatile liquid level control.
- **TEFLON WIRE INCLUDED:** Comes with a 1-metre Teflon-coated wire, providing excellent resistance to heat and chemicals for reliable, long-lasting connections.
- **PACK CONTENTS:** Includes 1 magnetic float switch sensor, ready to install for efficient and accurate liquid level monitoring in various industrial and domestic setups.
- **Switch Current:** 2 Ampere Switch

[Read More](#)

SKU: PS-SS-SIDE-FLOAT-50V-1PCS-1

Price: ?530.00 – ?580.00

Categories: [Magnetic Float Sensor](#), [Sensor](#)

Product Description

POLO STAR SS Pin Sensor Without Wire

[Read More](#)


SKU:

Price: ?14.00 – ?18.00

Categories: [Sensor](#)



Product Description



POLO STAR Carbon Sensor for Water Level Controller | Water Level Indicator With 1.5 Meter Wire Set of 3

[Read More](#)

SKU:

Price: ?440.00 ?120.00

Categories: [Sensor](#)

Product Description

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power

- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Cable Length : 2 Meter Heavy Cable,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance



Polo Star Heavy SS Contact Type Pin Sensor for Water Level Controller Water Level Indicator Water Tank Alarm | Top Vertical Pipe Mount -14 Strand Tin Coated 1.25 Mtr Wire - BLUE WIRE

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Cable Length : 2 Meter Heavy Cable,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance

[Read More](#)

SKU:

Price: ?20.00 – ?25.00

Categories: [Sensor](#)

Product Description



Polo Star Heavy SS Contact Type Pin Sensor for Water Level Controller Water Level Indicator Water Tank Alarm | Top Vertical Pipe Mount -14 Strand Tin Coated 1.5 Mtr Wire - GREEN WIRE

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Cable Length : 2 Meter Heavy Cable,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance


[Read More](#)

SKU:

Price: ₹20.00 – ₹25.00

Categories: [Sensor](#)

Product Description



Polo Star Heavy SS Contact Type Pin Sensor for Water Level Controller Water Level Indicator Water Tank Alarm | Top Vertical Pipe Mount -14 Strand Tin Coated 1.5 Mtr Wire - RED WIRE

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Cable Length : 2 Meter Heavy Cable,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance

[Read More](#)

SKU:

Price: ?20.00 – ?25.00

Categories: [Sensor](#)

Product Description



Polo Star Heavy SS Contact Type Pin Sensor for Water Level Controller Water Level Indicator Water Tank Alarm | Top Vertical Pipe Mount -14 Strand Tin Coated 1.25 Mtr Wire - Set of 6

[Read More](#)

SKU:

Price: ~~2550.00~~ 180.00

Categories: [Sensor](#)

Product Description

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Cable Length : 2 Meter Heavy Cable,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance



Polo Star SS Magnetic Float Switch Sensor Made From SS 316 (Food Grade) for Liquid Level Controller | Water Tank Milk Coffee Tea Machine Industrial Chemicals - Side Mount 1 Mtr Teflon Wire

[Read More](#)

SKU: PS-SS-SIDE-FLOAT-50V-1PCS

Price: ~~2,500.00~~ 775.00

Categories: [Magnetic Float Sensor](#), [Sensor](#)



Polo Star Magnetic Float Sensor Switch for Liquid Water Level Controller | 2 Meter Cable with Weight | Water Tank | Top Mount | Vertical Mount | with Reversible NO – NC

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Cable Length : 2 Meter Heavy Cable,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance

[Read More](#)

SKU: PS-MAG-FLOAT-HANG-WASH-2MTR-CABLE-1PCS

Price: ~~₹550.00~~ ₹125.00

Categories: [Magnetic Float Sensor](#), [Sensor](#)

Product Description



POLO STAR Side Mounted Float Switch | Tank Pool Liquid Water Level Sensor Horizontal Float Switch For Water Level Controller | Color Black | 2 Meter Wire

- Cable Length : 2 Meter Corrosion Free Material
- Can be Used With Tank Pools , Hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps Water Level Controllers etc.
- Caution : Your Project Should Not Have Mercury in It
- Ideal Operating Ratings : Voltage: 2 to 12V DC Current: 5 to 50mA DC, Max Switch Current : 500 mA (DC), Max Switch Watt : 10W
- Advance Magnetic Technology

[Read More](#)

SKU: PS-MAG-SIDE-FLOAT-2MTR-1 PCS

Price: ₹450.00 ₹105.00

Categories: [Magnetic Float Sensor](#), [Sensor](#)

Product Description



Polo Star Magnetic Float Sensor Switch for Liquid Water Level Controller | Water Tank | Pipe Mount | Top - Vertical Mount | Fit & Forget Design | 2 MTR Heavy Cable | with Reversible NO – NC

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC

Magnetic Advance Technology , Cable Length : 2 Meter Heavy Cable 7/34 , 2 core copper tin coated

- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , Cable : 2 Meter Heavy Cable 7/34 , 2 core copper tin coated For High Performance
- Pipe Mount : New Fit & Forget Design , TRULY MADE IN INDIA Pipe Mount

[Read More](#)

SKU: PS-PIPE-CLAMP-MAG-FLOAT-1PCS

Price: ~~₹650.00~~ ₹122.00

Categories: [Magnetic Float Sensor](#), [Sensor](#)

Product Description



POLO STAR Magnetic Float Sensor Switch For Liquid Water Level Controller | Water Tank | Top Mount | Vertical Mount | 2 Meter Wire With Weight | With Reversable NO – NC

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Wire Length : 2 Meter ,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance

[Read More](#)

SKU: PS-MAG-FLOAT-HANG-WASH-2MTR-1PCS

Price: ~~₹450.00~~ ₹112.00Categories: [Magnetic Float Sensor](#), [Sensor](#)

Product Description



**POLO STAR Magnetic Float Sensor
Switch For Liquid Water Level Controller
| Water Tank | Top Mount | Vertical
Mount | 2 Meter Wire With Weight | With
Reversible NO – NC**

FREE DELIVERY ACROSS INDIA

- Can be Used With hydroponics, Salt water Tank, Fresh water tank, Gardening, aquariums for power head control, Pet bowls, fish tanks, filtration, RO , Water Coolers, Water Filters ,Dosing pumps etc.
- Features : Float Can Be Reversed For NO / NC By Opening Bottom Lock as Per Your Requirement / Contact : NO / NC
- Stem Material : PP Corrosion Free , Technology : Magnetic Advance Technology , Wire Length : 2 Meter ,
- Ideal Operating Ratings : Voltage: 2 to 50V DC .Current: 1amp / Max Current : 1.2A (DC), Max Switch Watt : 10W
- Switch Configuration : SPST , Float Ball Material: PP With excellent Acid and alkali / alkaline resistance , WIRE : Premium Tin Coated 14/40 Single Core For High Performance

[Read More](#)

SKU:

Price: ~~₹599.00~~ ₹255.00Categories: [Magnetic Float Sensor](#), [Sensor](#)

Product Description
